



FEEL THE SW DIFFERENCE®

DESIGNED TO ENHANCE WORKER PERFORMANCE.

PowerForm®

PF-95BL

POWDER-FREE ECOTEK SUSTAINABLE NITRILE EXAMINATION GLOVES WITH DRY CORE*


KEEP HANDS COOLER AND MORE COMFORTABLE WITH PREMIUM EXAM QUALITY NITRILE GLOVES, FEATURING UNIQUE DRY CORE MOISTURE MANAGEMENT TECHNOLOGY.

- Dry Core® Moisture Management Technology pulls sweat away from the skin
- EcoTek® Sustainable Technology*
- Silicone-free for critical environments

ANSI Level 3 Abrasion Protection



Fully textured surface for wet and dry grip

Tear-resistant beaded cuff for easy donning



PF

PF-95BL

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 8.5g (large size)	 9.5"	 6.1 mil	Dry Core® EcoTek®	 BLUE

ECOTEK



SW®
33278 Central Avenue, Unit 102, Union City, CA 94587, USA
Tel: +1.510.429.8692 | Fax: +1.510.487.5347

Trademarks and registered trademarks are the property of SW and its affiliates.
©2024 SW. All rights reserved.



TECHNICAL DATA



PF-95BL POWDER-FREE ECOTEK SUSTAINABLE NITRILE EXAMINATION GLOVES WITH DRY CORE*



PRODUCT DESCRIPTION

SPECIFICATIONS	
PRODUCT	PowerForm®
GRADE	Powder-Free Exam
MATERIAL	Nitrile
THICKNESS	FINGER 6.9mil 0.18mm
	PALM 6.1mil 0.16mm
	CUFF 5.1mil 0.13mm
COLOR	OUTER Blue
	INNER White
SURFACE	OUTER Fully Textured
	INNER Dry Core®
LENGTH	9.5" 242mm
WEIGHT	8.5g
FIT TYPE	Ambidextrous
CUFF TYPE	Beaded
WATERTIGHT AQL	1.5
ORIGIN COUNTRY	China/Malaysia

PHYSICAL PROPERTIES		
	PRE-AGING	POST-AGING
TENSILE STRENGTH:	20 MPa	19 MPa
ELONGATION:	560%	550%

INTEGRATED TECHNOLOGIES

DRY CORE Moisture Management Technology: Absorbent lining wicks away moisture for added comfort in extended use.

ECOTEK Sustainable Technology: Product has been tested per ASTM D5526*



* Specifications based on size Large glove

STANDARDS & CERTIFICATIONS

EN ISO 21420:2020	ANSI/ISEA 105-2016						
EN 455-2000-2015	CAT III Complex Design						
ASTM D6319-19	FDA 21 CFR 177.2600						
ASTM F1671-13							
ASTM F739-12							
Reach EU 1907/2006							
EU 2016/425							

Please visit swwglobal.com/symbols for information on standards used on this document.

APPLICATIONS

- For Medical Use
- Chemical Handling
- Clinical
- Laboratory
- Liquid Handling
- Pharma Production

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N106551	XS 5½ – 6	3.0" 76mm	50 gloves per box 10 boxes per case
N106552	S 6½ – 7	3.4" 87mm	50 gloves per box 10 boxes per case
N106553	M 7½ – 8	3.8" 97mm	50 gloves per box 10 boxes per case
N106554	L 8½ – 9	4.3" 109mm	50 gloves per box 10 boxes per case
N106555	XL 9½ – 10	4.5" 114mm	50 gloves per box 10 boxes per case
N106556	2XL 10½ – 11	4.9" 125mm	50 gloves per box 10 boxes per case

Keep out of sunlight. Store in a cool, dry place. Keep away from sources of ozone or ignition.



R_N10655X0323

<p>Feel the difference.™</p>	<p>SW® 33278 Central Avenue, Unit 102, Union City, CA 94587, USA Tel: +1.510.429.8692 Fax: +1.510.487.5347</p> <p>Trademarks and registered trademarks are the property of SW and its affiliates. ©2024 SW. All rights reserved.</p>			
------------------------------	--	--	--	--

*EcoTek gloves tested to ASTM D5526-12 Standard Test Method for Determining Anaerobic Biodegradation of Plastic Materials Under Accelerated Landfill Conditions. Results are 92.6% biodegradation in 60% solids landfill at 945 days. Future results cannot be predicted/extrapolated. If you need more information on the test reports, send email to cs@swwglobal.com.